L Number	Hits	Search Text	DB	Time stamp
-	80219	(filter identify isolate extract pull	USPAT;	2004/03/03 11:24
		choose parse) near3 (program program	US-PGPUB;	
		channel stream bitstream packet)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- i	2344	((filter identify isolate extract pull	USPAT;	2004/03/03 11:25
		choose parse) near3 (program program	US-PGPUB;	
		channel stream bitstream packet)) and	EPO; JPO;	
		725/\$.ccls.	DERWENT;	ì
			IBM_TDB	
-	1113	(((filter identify isolate extract pull	USPAT;	2004/03/03 12:28
		choose parse) near3 (program program	US-PGPUB;	
		channel stream bitstream packet)) and	EPO; JPO;	
		725/\$.ccls.) and ((multiple plurality	DERWENT;	
		several) near3 (client user subscriber	IBM_TDB	
		terminal ouput))		
-	2927	(program packet stream) adj filter	USPAT;	2004/03/03 12:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	42	((program packet stream) adj filter) and	USPAT;	2004/03/03 12:29
		725/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number		Search Text	l DB	Time stamp
2	Hits 410	725/151.ccls.	USPAT;	2004/03/02 16:44
2	410	723/131.0013.	US-PGPUB;	2001, 00, 02 20110
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
ا ا	222	filter and (725/139.ccls. 725/151.ccls.)	USPAT;	2004/03/02 15:10
3	232	filter and (725/159.0015. 725/151.0015.)	US-PGPUB;	2004/03/02 13:10
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	252	725/139.ccls.	USPAT;	2004/03/02 16:43
1	253	725/139.CC18.	US-PGPUB;	2004/03/02 10:13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	576	725/121 agla	USPAT;	2004/03/02 16:43
4	576	725/131.ccls.	US-PGPUB;	2504705702 10.45
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	140	725/100.ccls.	USPAT;	2004/03/02 16:44
5	140	725/100.6015.	US-PGPUB;	2001,00,02 20111
1			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
	57	725/89.ccls.	USPAT;	2004/03/02 16:45
8	37	123/09.0013.	US-PGPUB;	2001, 00, 01 11111
			EPO; JPO;	
			DERWENT;	ŀ
			IBM TDB	
9	230	725/68.ccls.	USPAT;	2004/03/02 16:44
"	230	123,00.0013. 	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
10	54	725/70.ccls.	USPAT;	2004/03/02 16:44
	34	723770.0013.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
11	178408	(filter identify isolate extract pull	USPAT;	2004/03/02 16:47
	1.0100	choose parse) with (program program	US-PGPUB;	
		channel stream bitstream packet)	EPO; JPO;	
		• • • • • • • • • • • • • • • • • • • •	DERWENT;	
			IBM TDB	
12	718	(725/68.ccls. 725/70.ccls. 725/89.ccls.	USPĀT;	2004/03/02 16:48
	•	725/100.ccls. 725/131.ccls. 725/139.ccls.	US-PGPUB;	
		725/151.ccls.) and ((filter identify	EPO; JPO;	
		isolate extract pull choose parse) with	DERWENT;	
		(program program channel stream bitstream	IBM_TDB	
		packet))		
13	5	("4045777" "5426701" "5483277"	USPAT	2004/03/02 18:02
	_	"5715020" "5828403").PN.		
14	14	l	USPAT	2004/03/02 18:04
15	14	("5130793" "5528283" "5528286"	USPAT	2004/03/02 18:09
'-	_ -	"5566232" "5574964" "5612730"		
		"5613190" "5621455" "5633614"		
		"5638426" "5673205" "5903372"		
		"5905942" "5936660").PN.	1	į.

L Number	Hits	Search Text-	DB I	Time stamp
- Namber	1	725/142.ccls. and packet and (bit?stream	USPAT;	2003/12/02 13:34
	-	data?stream (serial adj stream))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	132	725/142.ccls.	USPAT;	2003/12/02 13:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/00 14:07
-	49	725/142.ccls. and @ad<19990108	USPAT;	2003/12/02 14:07
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	234	725/139.ccls.	USPAT;	2003/12/02 14:00
-	234	725/139.CC18.	US-PGPUB;	2003/12/02 11:00
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	132	725/139.ccls. and @ad<19990108	USPAT;	2003/12/02 14:48
	152		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	262	348/714,718.ccls.	USPĀT;	2003/12/02 14:32
]			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(707 (400)) (400) (400)	IBM TDB	2003/12/02 14:32
<u> </u>	132	(725/139.ccls. and @ad<19990108) and	USPAT;	2003/12/02 14:32
		@ad<19990108	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	12	("5410344" "5600378" "5760821"	USPAT	2003/12/02 14:37
ļ [—]	12	"5864358" "5909257" "5943605"	, ,,,,,,	=====================================
		"5999216" "6002394" "6005631"		
		"6025837" "6134554" "6216264").PN.		
_	0	((plurality multiply many several) adj	USPAT;	2003/12/02 14:42
[(demod demodulat\$4)) with ((single \$21one	US-PGPUB;	
		individual shared) adj (memory storage	EPO; JPO;	
		buffer))	DERWENT;	
			IBM_TDB	
-	1	((plurality multiply many several) adj	USPAT;	2003/12/02 14:44
		(demod demodulat\$4)) same ((single \$2lone	US-PGPUB;	
		individual shared) adj (memory storage	EPO; JPO;	
		buffer))	DERWENT;	
	_	Communication of the contraction	IBM_TDB USPAT;	2003/12/02 14:47
-	3	(program adj filter) with (bitstream	USPAT; US-PGPUB;	2003/12/02 14.4/
		MPEG\$3)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	388	 program adj filter	USPAT;	2003/12/02 14:48
_	300	program aaj rrreer	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	226	(program adj filter) and @ad<19990108	USPAT;	2003/12/10 09:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/00
-	16		USPAT;	2003/12/02 14:53
		and (MPEG\$3 bit?stream data?stream (serial	US-PGPUB;	
		adj stream))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

Separate					
Proj. 1970; DERNEMT; TBM TDB USPAT; US-PGPUB; EPO; JPO; DERNEMT;	-	35	((program adj filter) same (storage	USPAT;	2003/12/10 09:41
DERMENT; IBM TOB USPAT;			memory)) and @ad<19990108	· ·	
1618					
1618 packet same ((common shared lone single) near5 (memory storage))) and @ad<19990108 US-PGPUB; EPO; JPO; DERWENT; IBM TOB USPAT; US-PGPUB; EPO;					
Dear					
near5 (memory storage))) and @ad<19990108 US-FGPUB; EPO; JPO; DERWENT; IBM TDB USPÄT; US-FGPUB; EPO; JPO;	_	1618	(packet same ((common shared lone single)	USPAT;	2003/12/10 09:43
2			near5 (memory storage))) and @ad<19990108	US-PGPUB;	
Comparison			· -	EPO; JPO;	
- 2 6023731.pn. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT;				DERWENT;	
- 65791 370/\$.ccls. and @ad<19990108 USPAT; USPAT; USPAT; USPGPUB; EPO, JPO, DERWENT; IBM TDB USPAT; USPAGEND; EPO, JPO, DERWENT; IBM TDB USPAGEND; EPO, JPO,				IBM_TDB	
SPECPUB; EPO; JPO; DERWENT; IRM TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IRM TDB USPAT; US-PGPUB; LPO; J	_	2	6023731.pn.	USPAT;	2003/12/10 10:08
- 65791 370/\$.ccls.			-	US-PGPUB;	
- 65791 370/\$.ccls. and @ad<19990108 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB;				EPO; JPO;	İ
- 47094 370/\$.ccls. and @ad<19990108 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J				DERWENT;	1
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT				IBM TDB	
- 47094 370/\$.ccls. and @ad<19990108 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US	_	65791	370/\$.ccls.	USPAT;	2003/12/10 10:09
- 47094 370/\$.ccls. and @ad<19990108 USPĀT; US-PGPUB; EFPC; JPC; DERWENT; IBM TDB USPĀT; US-PGPUB; EFPC; JPC; JPC; DERWENT; IBM TDB USPĀT; US-PGPUB; EFPC; JPC; JPC; DERWENT; IBM TDB USPĀT; US-PGPUB; EFPC; JPC; JPC; JPC; JPC; JPC; JPC; JPC; J				US-PGPUB;	
- 47094 370/\$.ccls. and @ad<19990108 USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB US-PCPUB; EPO; JPO; D				EPO; JPO;	
- 47094 370/\$.ccls. and @ad<19990108 USFĀT; US-PGPUB; EPG; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPG; JPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPG; JPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPG; JPO; JPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPG; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO		1		DERWENT;	
14771 (370/\$.ccls. and @ad<19990108) and packet US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB US-PGPUB; T				IBM TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPU	_	47094	370/\$.ccls. and @ad<19990108	USPĀT;	2003/12/10 10:09
- 14771 (370/\$.ccls. and @ad<19990108) and packet USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; JPO; DERWE	,			US-PGPUB;	
- 14771 (370/\$.ccls. and @ad<19990108) and packet USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; JPO; DERWE				EPO; JPO;	
- 14771 (370/\$.ccls. and @ad<19990108) and packet USPĀT; US-PGPUB; EPC; JPO; DERWENT; IBM TDB USPĀT; USPĀT U					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EP				IBM TDB	
September Sept	_	14771	(370/\$,ccls, and @ad<19990108) and packet	USPAT;	2003/12/10 10:09
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT USPAT USPAT USPAT 2003/12/10 11:12 - 6 ("5636224" "57418782" "55450139" USPAT USPAT 2003/12/10 12:06		11	(0,0,4,0020, and can are 1,000	US-PGPUB;	
Second Content Second				EPO; JPO;	
- 8994 ((370/\$.ccls. and @ad<19990108) and packet) and (memory storage) - 2225 (((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4)) - 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ((5636224" "5724358" "5870396" USPĀT; USPĀT - 6032190" "6088355" "6208643").PN 11 ("5115426" "5148782" "5550577" "5550578" "5550578" "55586121" "555057734" USPĀT				DERWENT;	
- 8994 ((370/\$.ccls. and @ad<19990108) and packet) and (memory storage) - 2225 (((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4)) - 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ((5636224" "5724358" "5870396" "550578" "5526427" "5550577" "5550577" "5550578" "55586121" "555057734" USPAT 2003/12/10 12:06				IBM TDB	
packet) and (memory storage)	<u> </u>	8994	(/370/\$ ccls. and @ad<19990108) and		2003/12/10 10:09
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT	_	0554		US-PGPUB;	1
DERWENT; IBM TDB USPĀT; (((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4)) - 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 ((((370/\$.ccls. and @ad<19990108) and (information)) PID (packet adj identif\$4))) and demod\$7 (((((370/\$.ccls. and @ad<19990108) and (information)) PID (packet adj identif\$4))) and demod\$7 ((((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 and (user client subscriber) ("5636224" "5724358" "5870396" USPĀT; IBM TDB USPĀT - 6 ("5615426" "57418782" "5550577" "555050577" "5550577" "5550577" "5550577" "5550577" "555050577" "5550577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577" "555050577"			pucket, and (momer) society	EPO; JPO;	
- 2225 (((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4)) - 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 - 336 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((table?type table) adj3 (data packet) and (memory storage)) and (((table?type table) adj3 (data packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PAT 2003/12/10 11:12 - 4 ("5115426" "5418782" "5550577" US-PAT 2003/12/10 12:06					
- 2225 (((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4)) - 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (specket) ((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) (specket) (spe				1	1
packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4)) 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and packet) and (memory storage)) and (((table?type table) adj3 (data packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" "6032190" "6088355" "6208643").PN. 11 ("5115426" "5418782" "5450139" "5469431" "55566121" "5550577" "5550578" "55586121" "5587734"	l _	2225	(((370/S ccls and @ad<19990108) and		2003/12/10 10:10
<pre>(((table?type table) adj3 (data information)) PID (packet adj identif\$4)) ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPAT "6032190" "6088355" "6208643").PN. "5115426" "5418782" "5450139" USPAT "5469431" "5526427" "5550577" USPAT "5550578" "5586121" "5587734" </pre> USPAT USPAT 2003/12/10 10:11 USPAT 2003/12/10 12:06	_	2223	packet) and (memory storage)) and		
Information PID (packet adj identif\$4) DERWENT; IBM TDB USPAT; USPAT USP	1	[(((table?type table) adi3 (data	I .	
- 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) DERWENT; and demod\$7 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) DERWENT; and demod\$7) and (user client subscriber) DERWENT; and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPAT 2003/12/10 11:12 "6032190" "6088355" "6208643").PN. - 11 ("5115426" "5418782" "5450139" USPAT 2003/12/10 12:06		1	information)) PID (packet adi identif\$4))		
- 367 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 - 336 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPĀT 2003/12/10 10:11 - 4 ("5115426" "5418782" "5450139" USPĀT 2003/12/10 11:12 - 5469431" "5526427" "5550577" USPĀT 2003/12/10 12:06				IBM TDB	
packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" "6032190" "6088355" "6208643").PN. 11 ("5115426" "5418782" "5450139" "5469431" "5526427" "5550577" "5550578" "5586121" "5587734"	l _	367	((((370/\$.ccls. and @ad<19990108) and		2003/12/10 10:11
(((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7 ((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPĀT ("5115426" "6088355" "6208643").PN. ("5115426" "5418782" "5450139" USPĀT "5469431" "5526427" "5550577" USPĀT "5469431" "55266121" "5587734"	}	1	packet) and (memory storage)) and		
information)) PID (packet adj identif\$4))) and demod\$7 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPAT ("5115426" "5418782" "5450139" USPAT 11 ("5115426" "5526427" "5550577" "5550578" "5586121" "5587734"			(((table?type table) adi3 (data	EPO; JPO;	1
and demod\$7 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) - 6 ("5636224" "5724358" "5870396" USPAT "6032190" "6088355" "6208643").PN. ("5115426" "5418782" "5550577" USPAT "5469431" "5526427" "5550577" USPAT			information)) PID (packet adj identif\$4)))	DERWENT;	
- 336 (((((370/\$.ccls. and @ad<19990108) and packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPAT 2003/12/10 11:12 "6032190" "6088355" "6208643").PN 11 ("5115426" "5418782" "5550577" USPAT 2003/12/10 12:06 "5469431" "5526427" "5550577"			and demod\$7		
packet) and (memory storage)) and (((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPĀT 2003/12/10 11:12 "6032190" "6088355" "6208643").PN. 11 ("5115426" "5418782" "5450139" USPĀT 2003/12/10 12:06 "5469431" "5526427" "5550577" "5550578" "5586121" "5587734"	l _	336	(((((370/\$.ccls. and @ad<19990108) and		2003/12/10 10:11
(((table?type table) adj3 (data information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPAT 2003/12/10 11:12 "6032190" "6088355" "6208643").PN. 11 ("5115426" "5418782" "5450139" USPAT 2003/12/10 12:06 "5469431" "5526427" "5550577" "5550578" "5586121" "5587734"			packet) and (memory storage)) and		
information)) PID (packet adj identif\$4))) and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPAT 2003/12/10 11:12 "6032190" "6088355" "6208643").PN. ("5115426" "5418782" "5450139" USPAT 2003/12/10 12:06 "5469431" "5526427" "5550577" "5550578" "5586121" "5587734"			(((table?type table) adj3 (data	EPO; JPO;	
and demod\$7) and (user client subscriber) ("5636224" "5724358" "5870396" USPAT "6032190" "6088355" "6208643").PN. ("5115426" "5418782" "5450139" USPAT "5469431" "5526427" "5550577" "5550577" "5550578" "5586121" "5587734"			information)) PID (packet adj identif\$4)))	DERWENT;	
- 6 ("5636224" "5724358" "5870396" USPAT 2003/12/10 11:12 "6032190" "6088355" "6208643").PN 11 ("5115426" "5418782" "5450139" USPAT 2003/12/10 12:06 "5469431" "5526427" "5550577" "5550578" "5586121" "5587734"			and demod\$7) and (user client subscriber)		
- 11 "6032190" "6088355" "6208643").PN. ("5115426" "5418782" "5450139" USPAT 2003/12/10 12:06 "5469431" "5526427" "5550577" "5550578" "5586121" "5587734"	l _	6		USPAT	2003/12/10 11:12
- 11 ("5115426" "5418782" "5450139" USPAT 2003/12/10 12:06			"6032190" "6088355" "6208643").PN.		
"5469431" "5526427" "5550577" "5550578" "5586121" "5587734"	1 -	11	("5115426" "5418782" "5450139"	USPAT	2003/12/10 12:06
"5550578" "5586121" "5587734"			"5469431" "5526427" "5550577"		
		1	"5550578" "5586121" "5587734"		
["5612/29" "562/836").FN.			"5612729" "5627836").PN.		